

PSOZOIL®

— CREAM —
ERBAGIL

Obnavlja in regenerira

Z



OZOILE®
ERBAGIL PATENT
Stabilni ozonidi

INDIKACIJE

Psozoil krema je namenjena preprečevanju in oskrbi v primeru akutne in kronične luskavice in dermatoloških težav, ki povzročajo značilno vnetje, draženje, eritem, kserozo, srbenje, luščenje, možne okužbe, spremembe flore in kožne bariere kot so akne, dermatitis in dermatoza. Psozoil® krema je namenjena preprečevanju in oskrbi akutnih in kroničnih kožnih poškodb različnih vzrokov.

GLAVNE SESTAVINE

OZOILE® (stabilni ozonidi z Vitamin E acetatom), ekstrakt korenine Ruscus Aculeatus (bodeča lobodika), cvetni ekstrakt Calendula officinalis (vrtni ognjič), ekstrakt listov Ribes Nigrum (črni ribez), ekstrakt Equisetum Arvense (njivska preslica), natrijev hialuronat, tioktična kislina.

OZOILE®, stabilni ozonidi z vitaminom E acetatom, je skupina inovativnih molekul, pridobljenih s patentiranim postopkom, ki deluje proti vnetju, srbečici, preprečuje hipoksijo, ustvarja neugodno okolje za širjenje patogenih mikrobov in spodbuja obnovo tkiva.

NAVODILA ZA UPORABO

Kremo namažite neposredno na prizadeto območje. Pri oskrbi dermatoloških težav nanesite kremo 2 do 3 krat na dan. Pri oskrbi akutnih in kroničnih kožnih obolenj zaradi različnega vzroka lahko kremo nanesete tudi neposredno na celotno poškodovano območje, še posebej med fazo granulacije. Na kožo okoli rane pa nanesite enakomerno plast kreme za več kot 5 cm okoli prizadetega območja. Obdobje uporabe je različno in je odvisno od zahtevnosti poškodbe in hitrosti terapevtskega odziva.

OPOZORILA IN PREVIDNOSTNI UKREPI

Samo za lokalno uporabo. Ne zaužijte. Izdelek hranite izven dosega otrok. Ne uporabljajte, če je embalaža poškodovana. Ne uporabljajte medicinskega pripomočka po datumu uporabnosti. Datum uporabnosti se nanaša na nepoškodovan in pravilno shranjevan izdelek. Shranjujte v hladnem in suhem prostoru stran od virov toplote in neposredne sončne svetlobe. Shranjujte po možnosti med 5 °C in 35 °C. Pred uporabo medicinskega pripomočka si dobro umijte roke. Po uporabi tubo dobro zaprite. Po odprtju je priporočljivo porabiti izdelek v 6 mesecih.

KONTRAINDIKACIJE


Psozoil® kremo večina zelo dobro prenaša. Kontraindicirana je pri preobčutljivosti na posamezne sestavine. Ni primerov preobčutljivosti ali stranskih učinkov, če pa se slučajno pojavijo, prosimo, takoj prenehajte z uporabo in se posvetujte s svojim zdravnikom. Ni znanih primerov prevelikega odmerjanja. Ni znanih interakcij z zdravili in drugimi medicinskimi snovmi.

PAKIRANJE

100 ml tuba

MIKROBIOLOŠKI TEST
KOŽNI ALERGIJSKI TEST
CITOTOKSIČNI TEST
BREZ GLUTENA
BREZ BARVIL
BREZ ALERGENOV

MEDICINSKI PRIPOMOČEK II B  0425



Uvoznik in distributer: MagPharm d.o.o., Dunajska
cesta 181, 1000 Ljubljana
040 457 767, magpharm.si, info@magpharm.si

 ERBAGIL srl
Via L. Settembrini, 13 Telese Terme BN Italy
www.erbagil.com

Rev. 01 09/2020

PSOZOIL®

CREAM
ERBAGIL

Repairs and Regenerates
the skin

with



OZOILE®
ERBAGIL PATENT
Stable Ozonides

INDICATIONS

Psozoil® Cream is indicated in the prevention and treatment of Psoriasis and dermatological pathologies characterized by inflammation, irritation, erythema, xerosis, itching, flaking, possible infection, alterations of the flora and skin barrier, such as Acne, Dermatitis and Dermatosi. Psozoil® Cream is also indicated for prevention and treatment of acute and chronic skin lesions with different etiology.

MAIN COMPONENTS: Ozoile® (Ozonides stable with Vitamin E acetate), Ruscus Aculeatus Root Extract, Calendula Officinalis Flower Extract, Ribes Nigrum Leaf Extract, Equisetum Arvense Extract, Sodium Hyaluronate, Thioctic Acid

Ozoile®, Stable ozonides with Vitamin E acetate, is a pool of innovative molecules obtained from a Patented process that has anti-inflammatory and anti-itching action, counteracts hypoxia, creates an unfavorable environment to pathogenic microbial proliferation and promotes tissue repair processes.

HOW TO USE

Spread the product directly on the affected area. Apply Psozoil® Cream in the treatment of dermatological pathologies two or three times a day. In the treatment of acute and chronic skin lesions with different etiology, the product can also be applied directly to the entire injured area especially during the granulation phase, on the peri-wound skin and to the surrounding area for more than 5 cm. The treatment period differs according to the treated area and the rapidity of the therapeutic response.

WARNINGS AND PRECAUTIONS

Topical use. Do not ingest. Keep out of the reach of children. Do not use it if the packaging appears to be damaged. Do not use the device beyond the expiration date. The expiration date refers to the intact and correctly stored product. Store in a cool, dry place away from heat sources and direct sunlight. Store preferably between 5 °C and 35 °C. Wash your hands well before using the medical device. Carefully close the tube after use. After opening it is recommended to use the product within 6 months.

CONTRAINDICATIONS


Psozoil® Cream is well tolerated. It is contraindicated in case of ascertained hypersensitivity towards the components. There are no cases of sensitization or side effects, if this phenomenon occurs please discontinue use and consult your physician. There are no known overdoses cases. There are no known interactions with drugs and medicinal substances.

PACKAGE

100 ml - 3.4 fl. Oz. tube

MICROBIOLOGICAL TEST
PATCH TEST
CYTOTOXICITY TEST
GLUTEN FREE
NO COLOURS
NO ALLERGENS

MEDICAL DEVICE II B  0425



 ERBAGIL srl
Via L. Settembrini, 13 Telesse Terme BN Italy
www.erbagil.com

Rev. 01 09/2020